

# 1300 MEMBRANE | rttsealant.com

# An AMAZING Elastomeric Membrane Coating



1000% Elongation + 95% Recovery









# **CERTIFICATIONS**

- **▶ QBCC Waterproofing Licence No. 1242527**
- Member of the Master Builders Association
- \$20 Million Public Liability Insurance Cover
- CSRM100 Confined Space Entry Certified
- MNMG237A Work Safely at Heights Certified
- AS/NZS 4020:2500 Potable Water Certified
- All Work Guaranteed













# PRODUCT DESCRIPTION

- RTT Sealant is an elastomeric coating engineered to provide exceptional adhesion, elasticity and protective properties.
- Spray, Liquid Pour or brush / roller applied at outside temperature, no heat source or flame required!
- Cures into a seamless membrane for:
  - Waterproofing ability
  - Corrosion resistance
  - Chemical resistance
  - Complete containment
  - Non slip
- Seals and protects
  - Roofs
  - **Expansion** joints
  - Parking areas
  - Tanks
  - Dams/Ponds

- Water features
- Planter boxes
- Gutters
- Retaining walls
- Concrete cracks



RTT Sealant brush/roller applied









# **PERFORMANCE BENEFITS**

- Superior Performing Membrane
  - Bonds to most construction materials
  - Seamless membrane protects substrate against:
    - Corrosion
    - Water damage
    - Chemical attack
  - Elongates 1000% with 95% recovery
  - Withstands thermal cycling
  - Puncture resistant
  - Potable Water Certified
- Significant installation cost savings
  - Minimal surface preparation required
  - More cost effective than replacing your roof
  - One coat system (Coloured Top Coats available)
  - Easily transportable mobile application units
  - **Environmentally friendly and safe** 
    - VOC (Volatile Organic Compound) free
    - Water soluble
    - Non toxic














# FIELD APPLICATION CASES SHOPPING CENTRE ROOF: 8000M2+



**CORRUGATED KLIP-LOK™ TIN ROOFING** 









# **ROOF COATING**

#### **SCENARIO:**

Large shopping centre with corrugated Klip-Lok™ tin roof

#### **PROBLEM:**

- Areas above shops roof leaking
- Hazards to customers and staff
  - Expensive to replace roof + shop closure loss of business

#### **SOLUTION:**

- RTT Sealant sprayed on + Top coat
  - Complete sealing and protection of roof, rain headers & air con ducts
  - No more leaks
  - Extends life of roof materials
  - Shops remain open



RTT Sealant + Top coat applied to roof to prevent corrosion















2. RTT Sealant applied to entire area

3. Coloured top coat applied to RTT Sealant





1. RTT Sealant applied to joins and corners







# **COOLING TOWERS**

#### **SCENARIO:**


 Large shopping centre with galvanized steel cooling towers

#### **PROBLEM:**

- Areas below tower leaking into shops
- Hazardous and damaging stock
- Corroding beams and sheeting
- Expensive to replace tower and roof + shutdown air con in summer

#### **SOLUTION:**

- RTT Sealant sprayed on + Top coat
  - Complete sealing and protection of galvanized
     steel tower
  - No more leaks
  - Extends life of tower and roof
  - Uninterrupted shop cooling









RTT Sealant + Top coat applied to area to prevent corrosion and stop leaks









1. RTT Sealant applied to joins and corners











3. Coloured top coat applied to RTT Sealant









## **SOLAR TOP COAT**

#### **SCENARIO:**

 Large supermarket chain requires roof leaks fixed and insulation to reduce power costs

#### **PROBLEM:**


- Expensive to install internally
- Shop shutdown during install
- Requires a long timeframe

#### **SOLUTION:**

- RTT Sealant sprayed on + Solar Top Coat
  - Complete sealing and protection of tin
  - No more leaks
  - Surface temperature reduced by 25%
  - Power saved!














## SOLAR TOP COAT PERFORMANCE DATA

RTT Sealant were provided with the energy consumption data from January 2012 to February 2014. The calculations below indicate the reduction in energy consumption as a result of the application of the waterproofing membrane and solar top coat to the roof areas.



### kWh Consumption

December 2012: **146.57kWh** December 2013: **124.86kWh** 

Representing a 14.2% reduction in power usage

January 2013: 155.63kWh
January 2014: 136.11kWh

Representing a 12.5% reduction in power usage










# 1300 MEMBRANE | rttsealant.com

### **BEFORE AND AFTER PHOTOS**



1. RTT Sealant applied to joins and bolt heads









3. Solar Top Coat applied to RTT Sealant









# **BOX GUTTERING**

#### **SCENARIO:**

Large shopping centre with corrugated Klip-Lok™ tin roof and steel box gutters


#### **PROBLEM:**


- Box gutters above shop roof leaking
- Rust and still water corroding steel
  - Expensive to replace

#### **SOLUTION:**

- RTT Sealant brushed and rolled on
  - Complete sealing and protection of gutter
  - No more leaks
  - Extends life of guttering






















































# **SUMMARY**

### Description of RTT Sealant System

- Seamless environmentally friendly membrane
- Safe and non toxic
- Elongates 1000% with 95% recovery
- Potable Water Certified
- Applied in many different ways (versatile)

### Customer Benefits

- Chemically resistant, long lasting, air tight, cost effective
- Coloured Top Coats available

### Multiple Uses

Liquid Containment, Mining, Tanks, Foundation Protection, Expansion Joints, Roofing, Ponds, Dams, Construction, Retaining Walls and Corrosion Protection

PH: 1300 MEMBRANE

ABN 92 128 652 031 www.rttsealant.com

1 Conway Ct Nerang QLD 4211

info@rttsealant.com





